ELSEVIER

European Journal of Pharmacology 329 (1997) 263–264

ejp

Author index

Adner, M., see Möller, S. (329) 69
Akaike, N., see Westh-Hansen, S.E. (329) 253
Andersson, R.G.G., see Johansson Rydberg, I.G.M. (329) 175
Ayajiki, K., Okamura, T. and Toda, N.
Flunarizine, an anti-migraine agent, impairs nitroxidergic nerve function in cerebral arteries (329) 49

Bartolini, A., see Ghelardini, C. (329) 1
Bateson, A.N., see Holt, R.A. (329) 129
Berthelot, P., see Ong, J. (329) 133
Boeckxstaens, G.E., see Michielsen, P.P. (329) 137
Boeynaems, J.-M., see Robaye, B. (329) 231
Bou, C., see Hilaire, G. (329) 115

Capaccioli, S., see Ghelardini, C. (329) 1
Carmeliet, E.E., see Van der Walt, J.J. (329) 201
Chebib, M., Vandenberg, R.J., Froestl, W. and Johnston, G.A.R.
Unsaturated phosphinic analogues of γ-aminobutyric acid as $GABA_C$ receptor antagonists (329) 223
Chen, T.-M., see Hou, W.-Y. (329) 17
Chiba, S. and Tsukada, M.
Mechanisms for histamine H_1 receptor-mediated vasodilation in isolated canine lingual arteries (329) 63
Communi, D., see Robaye, B. (329) 231

Donoso, M.V., see Racchi, H. (329) 79
Drukarch, B., Schepens, E., Stoof, J.C. and Langeveld, C.H.
Anethole dithiolethione prevents oxidative damage in glutathione-depleted astrocytes (329) 259

Edvinsson, L., see Möller, S. (329) 69
Escalante, B., see González-Castillo, C. (329) 245
Espitia, S.A., see Hawkinson, J.E. (329) 213

Fiorella, D., see Johnson, R.G. (329) 99
Fong, E., see Wong, S.M.E. (329) 121
Franco, M., see González-Castillo, C. (329) 245
Fredholm, B.B., see Jin, S. (329) 107
Froestl, W., see Chebib, M. (329) 223
Fujii, M., see Takeuchi, H. (329) 27
Fukushima, H., see Takahama, K. (329) 93

Galeotti, N., see Ghelardini, C. (329) 1
Gandía, L., Vitale, M.L., Villarroya, M., Ramirez-Lavergne, C., García, A.G. and Trifaró, J.-M.
Differential effects of forskolin and 1,9-dideoxy-forskolin on nicotinic receptor- and K^+-induced responses in chromaffin cells (329) 189
García, A.G., see Gandía, L. (329) 189
García-Sacristán, A., see Simonsen, U. (329) 153
Ghelardini, C., Galeotti, N., Pecori Vettori, A., Capaccioli, S., Quattrone, A. and Bartolini, A.
Effect of K^+ channel modulation on mouse feeding behaviour (329) 1
González-Castillo, C., Franco, M., Quintana, A., Escalante, B. and Martínez, F.
Indomethacin and piroxicam inhibit Na^+-adenosine transport in rat renal brush-border membranes (329) 245
Grenegård, M., see Johansson Rydberg, I.G.M. (329) 175
Guzmán, S., see Racchi, H. (329) 79

Han, C., see Zhu, W. (329) 55
Hashimoto, S., see Yamazaki, R. (329) 181
Hastrup, S., see Westh-Hansen, S.E. (329) 253
Hatanaka, K.-i., see Takeuchi, H. (329) 27
Hattori, H., see Takeuchi, H. (329) 27
Hattori, Y. and Kanno, M.
Involvement of α_{1B}-adrenoceptors in the positive inotropic effect of endogenous noradrenaline in rabbit myocardium (329) 165
Hawkinson, J.E. and Espitia, S.A.
Effects of thiocyanate and AMPA receptor ligands on (*S*)-5-fluorowillardiine, (*S*)-AMPA and (*R*,*S*)-AMPA binding (329) 213
Herman, A.G., see Michielsen, P.P. (329) 137
Higashi, M., see Yamaguchi, Y. (329) 37
Hilaire, G., Bou, C. and Monteau, R.
Serotonergic modulation of central respiratory activity in the neonatal mouse: an in vitro study (329) 115
Holt, R.A., Bateson, A.N. and Martin, I.L.
Chronic zolpidem treatment alters $GABA_A$ receptor mRNA levels in the rat cortex (329) 129
Hoshino, M., see Kakuyama, H. (329) 85
Hou, W.-Y., Shyu, B.-C., Chen, T.-M., Lee, J.-W., Shieh, J.-Y. and Sun, W.-Z.
Intrathecally administered *c-fos* antisense oligodeoxynucleotide decreases formalin-induced nociceptive behavior in adult rats (329) 17
Huidobro-Toro, J.P., see Racchi, H. (329) 79

Ihara, T., Ikeda, U., Ishibashi, S. and Shimada, K.
Tranilast inhibits contraction of rat aortic smooth muscle (329) 43
Ikeda, U., see Ihara, T. (329) 43
Ishibashi, S., see Ihara, T. (329) 43
Isohama, Y., see Takahama, K. (329) 93

Jin, S. and Fredholm, B.B.
Adenosine A_1 receptors mediate hypoxia-induced inhibition of electrically evoked transmitter release from rat striatal slices (329) 107
Johansson Rydberg, I.G.M., Andersson, R.G.G. and Grenegård, M.
Effects of the nitric oxide-donor, GEA 3175, on guinea-pig airways (329) 175
Johnson, R.G., Fiorella, D., Winter, J.C. and Rabin, R.A.
[^{3}H]8-OH-DPAT labels a 5-HT site coupled to inhibition of phosphoinositide hydrolysis in the dorsal raphe (329) 99
Johnston, G.A.R., see Chebib, M. (329) 223

Kai, H., see Takahama, K. (329) 93
Kakuyama, H., Kuwahara, A., Mochizuki, T., Hoshino, M. and Yanaihara, N.
Role of N-terminal active sites of galanin in neurally evoked circular muscle contractions in the guinea-pig ileum (329) 85
Kaneda, N., see Yamazaki, R. (329) 181
Kanno, M., see Hattori, Y. (329) 165
Kawai, S., see Yamazaki, R. (329) 181
Kellerman, T.S., see Van der Walt, J.J. (329) 201
Kendig, J.J., see Wong, S.M.E. (329) 121
Kennedy, C., see Westfall, T.D. (329) 169

Kerr, D.I.B., see Ong, J. (329) 133
Kiang, J.G.
Corticotropin-releasing factor-like peptides increase cytosolic [Ca^{2+}] in human epidermoid A-431 cells (329) 237
Kobayashi, H., see Yamaguchi, Y. (329) 37
Koshino, T., see Yamazaki, R. (329) 181
Koshiya, K., see Takeuchi, H. (329) 27
Kuwahara, A., see Kakuyama, H. (329) 85

Langeveld, C.H., see Drukarch, B. (329) 259
Lee, J.-W., see Hou, W.-Y. (329) 17

Martin, I.L., see Holt, R.A. (329) 129
Martínez, F., see González-Castillo, C. (329) 245
Matsuzaki, T., see Yamazaki, R. (329) 181
Michielsen, P.P., Boeckxstaens, G.E., Sys, S.U., Herman, A.G. and Pelckmans, P.A.
Aminoguanidine reverses aortic hyporeactivity to noradrenaline in portal vein-ligated rats (329) 137
Michotte, Y., see Sam, E. (329) 9
Miyata, T., see Takahama, K. (329) 93
Mizushima, Y., see Yamazaki, R. (329) 181
Mochizuki, T., see Kakuyama, H. (329) 85
Möller, S., Edvinsson, L. and Adner, M.
Transcriptional regulated plasticity of vascular contractile endothelin ET_B receptors after organ culture (329) 69
Monteau, R., see Hilaire, G. (329) 115

Nabekura, J., see Westh-Hansen, S.E. (329) 253
Nakato, K., see Takeuchi, H. (329) 27
Nielsen, M., see Westh-Hansen, S.E. (329) 253
Noguchi, K., see Westh-Hansen, S.E. (329) 253

Okamoto, R., see Yamazaki, R. (329) 181
Okamura, T., see Ayajiki, K. (329) 49
Ong, J., Kerr, D.I.B., Vaccher, C. and Berthelot, P.
Actions of thienyl analogs of baclofen at $GABA_B$ receptors in rat neocortical slices (329) 133

Pecori Vettori, A., see Ghelardini, C. (329) 1
Pelckmans, P.A., see Michielsen, P.P. (329) 137
Prieto, D., see Simonsen, U. (329) 153

Quattrone, A., see Ghelardini, C. (329) 1
Quintana, A., see González-Castillo, C. (329) 245

Rabin, R.A., see Johnson, R.G. (329) 99
Racchi, H., Schliem, A.J., Donoso, M.V., Rahmer, A., Zúñiga, Á., Guzmán, S., Rudolf, K. and Huidobro-Toro, J.P.
Neuropeptide Y Y_1 receptors are involved in the vasoconstriction caused by human sympathetic nerve stimulation (329) 79
Rahmer, A., see Racchi, H. (329) 79
Ramirez-Lavergne, C., see Gandía, L. (329) 189
Rasmussen, P.B., see Westh-Hansen, S.E. (329) 253
Robaye, B., Boeynaems, J.-M. and Communi, D.
Slow desensitization of the human $P2Y_6$ receptor (329) 231
Rudolf, K., see Racchi, H. (329) 79

Sam, E., Sarre, S., Michotte, Y. and Verbeke, N.
Distribution of apomorphine enantiomers in plasma, brain tissue and striatal extracellular fluid (329) 9
Sarre, S., see Sam, E. (329) 9
Schepens, E., see Drukarch, B. (329) 259
Schliem, A.J., see Racchi, H. (329) 79
Shieh, J.-Y., see Hou, W.-Y. (329) 17
Shimada, K., see Ihara, T. (329) 43
Shyu, B.-C., see Hou, W.-Y. (329) 17
Simonsen, U., García-Sacristán, A. and Prieto, D.
Apamin-sensitive K^+ channels involved in the inhibition of acetylcholine-induced contractions in lamb coronary small arteries (329) 153
Sneddon, P., see Westfall, T.D. (329) 169
Sonoda, R., see Takeuchi, H. (329) 27
Stoof, J.C., see Drukarch, B. (329) 259
Sun, W.-Z., see Hou, W.-Y. (329) 17
Sys, S.U., see Michielsen, P.P. (329) 137

Takahama, K., Wakuda, I., Fukushima, H., Isohama, Y., Kai, H. and Miyata, T.
Differential effect of codeine on coughs caused by mechanical stimulation of two different sites in the airway of guinea pigs (329) 93
Takeuchi, H., Yatsugi, S.-i., Hatanaka, K.-i., Nakato, K., Hattori, H., Sonoda, R., Koshiya, K., Fujii, M. and Yamaguchi, T.
Pharmacological studies on YM992, a novel antidepressant with selective serotonin re-uptake inhibitory and 5-HT_{2A} receptor antagonistic activity (329) 27
Tauck, D.L., see Wong, S.M.E. (329) 121
Toda, N., see Ayajiki, K. (329) 49
Tomlinson, D.R., see Vo, P.A. (329) 147
Trifaró, J.-M., see Gandía, L. (329) 189
Tsukada, M., see Chiba, S. (329) 63

Vaccher, C., see Ong, J. (329) 133
Vandenberg, R.J., see Chebib, M. (329) 223
Van der Walt, J.J., Van Rooyen, J.M., Kellerman, T.S., Carmeliet, E.E. and Verdonck, F.
Neurospecificity of phyto-bufadienolides is not related to differences in Na^+/K^+ pump inhibition (329) 201
Van Rooyen, J.M., see Van der Walt, J.J. (329) 201
Verbeke, N., see Sam, E. (329) 9
Verdonck, F., see Van der Walt, J.J. (329) 201
Villarroya, M., see Gandía, L. (329) 189
Vitale, M.L., see Gandía, L. (329) 189
Vo, P.A. and Tomlinson, D.R.
Effects of adrenergic stimulation on sciatic nerve blood flow in diabetic and control rats (329) 147

Wakuda, I., see Takahama, K. (329) 93
Westfall, T.D., Kennedy, C. and Sneddon, P.
The ecto-ATPase inhibitor ARL 67156 enhances parasympathetic neurotransmission in the guinea-pig urinary bladder (329) 169
Westh-Hansen, S.E., Rasmussen, P.B., Hastrup, S., Nabekura, J., Noguchi, K., Akaike, N., Witt, M.-R. and Nielsen, M.
Decreased agonist sensitivity of human $GABA_A$ receptors by an amino acid variant, isoleucine to valine, in the α_1 subunit (329) 253
Winter, J.C., see Johnson, R.G. (329) 99
Witt, M.-R., see Westh-Hansen, S.E. (329) 253
Wong, S.M.E., Fong, E., Tauck, D.L. and Kendig, J.J.
Ethanol as a general anesthetic: actions in spinal cord (329) 121

Yamaguchi, T., see Takeuchi, H. (329) 27
Yamaguchi, Y., Higashi, M. and Kobayashi, H.
Effects of ginsenosides on maze performance and brain choline acetyltransferase activity in scopolamine-treated young rats and aged rats (329) 37
Yamazaki, R., Kawai, S., Matsuzaki, T., Kaneda, N., Hashimoto, S., Yokokura, T., Okamoto, R., Koshino, T. and Mizushima, Y.
Aceclofenac blocks prostaglandin E_2 production following its intracellular conversion into cyclooxygenase inhibitors (329) 181
Yanaihara, N., see Kakuyama, H. (329) 85
Yatsugi, S.-i., see Takeuchi, H. (329) 27
Yokokura, T., see Yamazaki, R. (329) 181

Zhang, Y., see Zhu, W. (329) 55
Zhu, W., Zhang, Y. and Han, C.
Characterization of subtype of α_1-adrenoceptor mediating vasoconstriction in perfused rat hind limb (329) 55
Zúñiga, Á., see Racchi, H. (329) 79